

CLASSIFICATION: CAFCO 300

PRODUCT DESCRIPTION: The CAFCO® 300 series is the most innovative, widely specified and used commercial density, Wet Mix Spray-Applied Fire Resistive Material (SFRM) materials in the world. CAFCO 300 is a Gypsum- based formulation that offers the most cost effective fire resistance performance per unit thickness of any commercial SFRM in the world. The thermal performance advantages of the CAFCO 300 series of products results in reduced installed costs over any commercial density Wet Spray fire protection material in the industry. It also provides industry leading physical performance and application efficiencies that are unsurpassed.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- ☒ Nested Materials Method
- ☐ Basic Method

Threshold Disclosed Per

- ☐ Material
- ☒ Product

Threshold level

- ☐ 100 ppm
- ☒ 1,000 ppm
- ☐ Per GHS SDS
- ☐ Per OSHA MSDS
- ☐ Other

Residuals/Impurities

Residuals/Impurities
Considered in 1 of 1 Materials

Explanation(s) provided
for Residuals/Impurities?

- ☒ Yes ☐ No

Are All Substances Above the Threshold Indicated:

Characterized ☒ Yes ☐ No

Percent Weight and Role Provided?

Screened ☒ Yes ☐ No

Using Priority Hazard Lists with Results Disclosed?

Identified ☒ Yes ☐ No

Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

CAFCO 300 & CAFCO 300 HS [PLASTER OF PARIS NoGS VERMICULITE
NoGS BENTONITE LT-UNK LIMESTONE; CALCIUM CARBONATE LT-UNK
CELLULOSE, MICROCRYSTALLINE NoGS QUARTZ LT-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen
Benchmark or List translator Score ... LT-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): zero Regulatory (g/l): 50
Does the product contain exempt VOCs: No
Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) -
Classroom & Office scenario
VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)
Other: ILFI Declare - Red List Free

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- ☐ Yes
- ☒ No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-10-16

PUBLISHED DATE: 2018-12-10

EXPIRY DATE: 2021-10-16



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

CAFCO 300 & CAFCO 300 HS		%: 0.0000 - 100.0000		HPD URL:	
PRODUCT THRESHOLD: 1000 ppm		RESIDUALS AND IMPURITIES CONSIDERED: Yes			
RESIDUALS AND IMPURITIES NOTES: Impurities are displayed ingredients within the HPD					
OTHER MATERIAL NOTES: Gypsum Based, Wet Spray, Cementitious, Applied Fireproofing Material					
PLASTER OF PARIS				ID: 26499-65-0	
%: 50.0000 - 70.0000	GS: NoGS	RC: None	NANO: No	ROLE: Naturally Occurring	
HAZARDS:		AGENCY(IES) WITH WARNINGS:			
None Found		No warnings found on HPD Priority lists			
SUBSTANCE NOTES:					
VERMICULITE				ID: 1318-00-9	
%: 15.0000 - 30.0000	GS: NoGS	RC: None	NANO: No	ROLE: Aggregate	
HAZARDS:		AGENCY(IES) WITH WARNINGS:			
None Found		No warnings found on HPD Priority lists			
SUBSTANCE NOTES:					
BENTONITE				ID: 1302-78-9	
%: 1.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Thickening Agent	
HAZARDS:		AGENCY(IES) WITH WARNINGS:			
None Found		No warnings found on HPD Priority lists			
SUBSTANCE NOTES:					
LIMESTONE; CALCIUM CARBONATE				ID: 1317-65-3	

<div> <div>%:</div> <div>1.0000 - 10.0000</div> </div>	<div> <div>GS:</div> <div>LT-UNK</div> </div>	<div> <div>RC:</div> <div>None</div> </div>	<div> <div>NANO:</div> <div>No</div> </div>	<div> <div>ROLE:</div> <div>Naturally Occurring</div> </div>
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			
SUBSTANCE NOTES:				

CELLULOSE, MICROCRYSTALLINE

ID: **9004-34-6**

%: 1.0000 - 10.0000	GS: NoGS	RC: PostC	NANO: No	ROLE: Filler
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			
SUBSTANCE NOTES:				

QUARTZ

ID: **14808-60-7**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation
SUBSTANCE NOTES:		

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.1 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party

ISSUE DATE: 2017-08-01

EXPIRY DATE:

CERTIFIER OR LAB: UL Environmental

APPLICABLE FACILITIES: Stanhope, NJ Houston, TX San Bernardino, CA

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Report# 18652-02

VOC CONTENT

EPA Method 24 - Volatile Matter Content (EPA 24)

CERTIFYING PARTY: Third Party

ISSUE DATE: 2005-07-05

EXPIRY DATE:

CERTIFIER OR LAB: ITI Anti-Corrosion, Inc.

APPLICABLE FACILITIES: Stanhope, New Jersey Houston, Texas San Bernardino, California

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

OTHER

ILFI Declare - Red List Free

CERTIFYING PARTY: Third Party

ISSUE DATE: 2018-09-01

EXPIRY DATE: 2019-09-01

CERTIFIER OR LAB: International Living Future Institute

APPLICABLE FACILITIES: Stanhope, NJ San Bernardino, CA Houston, TX

CERTIFICATE URL: <https://living-future.org/declare-products/cafco-300-series/>

CERTIFICATION AND COMPLIANCE NOTES: ISK-0010, ISK-0011, ISK-0012

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Impurities are displayed ingredients within the HPD. Isolatek International provides passive fireproofing materials under the CAFCO® and FENDOLITE® trademarks throughout the Americas and under the ISOLATEK® trademark throughout the remainder of the world.



MANUFACTURER INFORMATION

MANUFACTURER: **Isolatek International**
ADDRESS: **41 Furnace Street**
Stanhope NJ 07874, USA
WEBSITE: **www.isolatek.com**

CONTACT NAME: **Philip Mancuso**
TITLE: **Senior Technical Services Manager |**
Standards & Certifications
PHONE: **973-347-1200**
EMAIL: **technical@isolatek.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.